


## MAIN INDICATIONS FOR USING LIPORASE

- Correction of the volume of injected hyaluronic acid in the dermis layers
- Treatment of granulomas and fibrous cellulite
- Elimination of defects after lipolytic double chin or breast surgery
- Elimination of unhealthy edema, fibrosis and consequences of hemorrhages in the dermis
- Prevention and prevention of necrosis from skin saturation.
- Cleaning pigmented blue spots-with the " Tyndall effect»
- Preparatory course for plastic surgery.



HYALURONIDASE DISSOLVING PROCESS. MAYPHARM

### PROCESS OF HYALURONIDASE INJECTION FOR FILLER DISSOLVING:

- Mix 3cc of saline to 1 vial of Hyaluronidase, it could dissolve 3cc of hyaluronic acid.
- Hyaluronidase is injected, along with lidocaine, into the area where the filler needs to be dissolved.
- Hyaluronic acid filler will start to be dissolved right away, and it will be absorbed by the body in a few hours.

#### PROCESS OF ADDING HYALURONIDASE TO LIPODISSOLVING INJECTION:

- Mix 5cc of saline to 1 vial of Hyaluronidase, it could be add to a 10cc lipodissolving V-line injection.

If it is 30cc, add 2 vials of Hyaluronidase.

- Hyaluronidase is mixed with V-line injection, it is injected along with lidocaine into the fat layer evenly.

- Massage the treated area for 15 minutes each day and 7 days in a roll, apply hot



packing after massage.

LIPORASE VIAL. MAYPHARM

#### RECOMMENDATIONS:

- To increase the effect of lipodissolving injection, hyaluronidase can be added to the cocktails of fat melting injection.

- Hyaluronidase is often combined with local anaesthetic to increase the diffusion of local anaesthetic.